

Hand sink

洗手星



(Shown 7-PS-60)

Model	Bowl/s	O. A./S	Each (\$)
	W " X L"	W " X L"	
7-PS-20	10" X 14"	18" X 18"	
7-PS-22	9" X 9"	16" X 12"	
7-PS-23	9" X 9"	16" X 12"	
7-PS-50	10" X 14"	16" X 18"	
7-PS-60	10" X 14"	16" X 18"	

FEATURES/BENEFITS

- One piece Deep Drawn sink bowl design.
- All sink bowls have a large liberal with a minimum dimension of 2" and are rectangular in design for increased capacity.
- All TIG welded. Welded areas blended to match adjacent surfaces and to a satin finish. Die formed countertop edge with a 3/8" No-Drip offset.
- One sheet of stainless steel is used.
- There are no welded seams other than comers.
- Heavy gauge type 304 series stainless steel. Wall mounting bracket is stainless steel and of offset design.
- All fittings are brass nickel plated unless otherwise indicated.

Drop-in sink

水星



(Shown DI-1-10)



(Shown DI-2-10)



(Shown DI-3-10)

Drop-in

Model	Bowl/s	O. A./S	Each (\$)
	W " X L"	W " X L"	
1 COMPARTMENT			
DI-1-5	14" X 10"	18" X 12"	
DI-1-10	14" X 10"	18" X 12"	
DI-1-35	14" X 10"	14" X 16"	
DI-1-2812	20" X 28"	25" X 31"	
2 COMPARTMENT			
DI-2-10	10" X 14"	25" X 19"	
DI-2-1410	14" X 16"	34" X 21"	

FEATURES/BENEFITS

- A deep drawn countertop Drop-in one piece sink bowl. All sink bowls have a large liberal radius with a minimum dimension of 2" and RECTANGULAR in design for increased capacity.
- All seams are TIG weld.
- Welded areas blended to match adjacent surfaces.
- Interior of sink bowls are polished to a satin finish.
- Support bracket fastened between for added strength.
- Heavy gauge S/S type "300" series.
- Aluminum and stainless steel mounting hardware. Supply is 1/2" hot and cold.
- Faucet hole are 4" o.c. Faucets are deck mounted and are included.
- Waste drains are S/S, 1-1/2" IPS basket type with 3-1/2" holes and are included.
- Mounting hardware supplied for securing sink to countertop.

Square corner Scullery Budget Sinks "400" Series

方角水星



(Shown 4-1-18)



(Shown 4-2-48)



(Shown 4-3-54)

Model	Bowl/s W " X L"	O. A./S W " X L"	Each (\$)
1 COMP. 400 Series			
4-81-18	18" X 18"	22" X 21"	
4-1-18	21" X 18"	25" X 21"	
4-1-24	21" X 24"	25" X 27"	
4-1-36	21" x 36"	25" X 39"	
4-41-24	24" x 24"	28" X 27"	
4-41-36	24" x 36"	28" X 39"	
2 COMP. 400 Series			
4-2-36	21" X 18"	25" X 39"	
4-2-48	21" X 24"	25" X 51"	
4-2-60	21" X 30"	25" X 63"	
4-42-48	24" X 24"	28" X 51"	
4-42-60	24" X 30"	28" X 63"	
3 COMP. 400 Series			
4-3-36	21" X 12"	25" X 39"	
4-3-48	21" X 16"	25" X 51"	
4-3-54	25" X 57"	25" X 57"	
4-3-72	25" X 75"	25" X 75"	
4-43-60	28" X 63"	28" X 63"	
4-43-72	28" X 75"	28" X 75"	
4 COMP. 400 Series			
4-4-48	21" X 12"	25" X 51"	
4-4-60	21" X 15"	25" X 63"	
4-4-72	21" X 18"	25" X 75"	

FEATURES/BENEFITS

• "400" Series is 16 gauge type 430 series. Galvanized tubular legs. 1" adjustable plastic bullet feet. • All heli-arc welded. Welded areas blended to match adjacent surfaces and to a satin finish. • Supply is 1/2" hot & cold. Faucet holes on 8" o.c. • Waste drains are 1 1/2" IPS basket type and are included. Faucets are not included (see accessories). • Four compartment units require two faucets. • Three compartment units with 24" sink bowl require two faucets.

Drain Board 搭板



Drainboards 36" and 48" are supplied with legs for support.

Model	Size	Each(\$)
N-5-818	18" x 18"	
N-5-18	21" x 18"	
N-5-24	21" x 24"	
N-5-30	21" x 30"	

FEATURES/BENEFITS

• Unique die-stamped rolled-rim construction is fully reversible - can be used for "Lefts" or "Rights". • Features easy clip-on installation with two support brackets that bolt to sink gussets. • Available in heavy-gauge 430 or 304 series stainless steel. • Drainboards 30" long are furnished with legs.

Undershelf Style Work Tables 工作臺



(Shown FLG-240)

FEATURES/BENEFITS

• Top is furnished with a 1 5/8" sanitary rolled rim edge on front, a 1 5/8" square bend on side, and 1 1/2" splash of single metal thickness on the rear side. • 24" wide tables supplied with TWO hat channels stud welded to reinforce and maintain a level working surface. • 30" and 36" wide tables supplied with THREE hat channels. • PRE-engineered welded angle adapters insure ease of future drawer installation. • Aluminum die cast "leg-to-shelf" clamp secures shelf to leg eliminating unsightly nuts and bolts. • Undershelf is adjustable. • All TIG welded. Exposed weld areas polished to match adjacent surfaces. • Entire top mechanically polished to a stain finish. • Top is sound deadened. Stud welded hat section reinforces and maintains a level working surface. • Gussets weld to support hat sections. Top is 14 gauge stainless steel type "304" series. • Shelf: 18 gauge galvanized steel. Legs: 1 5/8" diameter tubular galvanized steel, Galvanized steel gussets. 1" adjustable metal bullet feet.

Model	W " X L"	Each (\$)
24" Wide		
FLG-240	24" X 30"	
FLG-2410	24" X 120"	
FLG-2411	24" X 132"	
FLG-244	24" X 48"	
FLG-246	24" X 72"	
FLG-248	24" X 96"	
30" Wide		
FLG-300	30" X 30"	
FLG-3010	30" X 120"	
FLG-3011	30" X 132"	
FLG-3012	30" X 3012"	
FLG-304	30" X 48"	
FLG-305	30" X 60"	
FLG-306	30" X 72"	
FLG-308	30" X 96"	
FLG-309	30" X 108"	
36" Wide		
FLG-3610	36" X 120"	
FLG-363	36" X 36"	
FLG-365	36" X 60"	
FLG-368	36" X 96"	
FLG-369	36" X 108"	

All Welded Curved Top Pan Racks 盤架



(Shown PR10-3W)

Model	Pan Capacity	Shelf Spacing	L" X W" X H"	EACH (\$)
PR10-3W	10 Full Size	3"	21" x 26" x 39"	
PR10-6W	10 Full Size	6"	21" x 26" x 70"	
PR12-5W	12 Full Size	5"	21" x 26" x 70"	
PR20-3W	20 Full Size	3"	21" x 26" x 70"	
PR30-2W	30 Full Size	2"	21" x 26" x 70"	
PR12-5WS	12 Full Size	5"	29" x 18" x 70"	
PR30-2WS	30 Full Size	2"	29" x 18" x 70"	

FEATURES/BENEFITS

• Curved top design. • Heavy duty welded construction with 6 cross supports. • 1"x1 1/2" ribbed angles. • Heavy duty 5" stem bolted swivel casters. • Fully welded 1" square tubing ladder assembly. • Angles are 1"x1 1/2"x20" on front load pan rack and 1"x1/2" x17 3/4" on side load pan rack. • 6063-T52 extruded aluminum angles, upright tubing, and support pieces.

200 Hearland Boulevard, Edgewood, NY 11717-8380

NEW YORK
(800)645-3166
FAX: (516) 242-6900

GEORGIA
(800) 832-1218
FAX: (770) 775-5625

TEXAS
(800) 527-0353
FAX: (972) 932-4795

NEVADA
(800) 446-8684
FAX: (775) 972-1578